




KRA5127

Specific rear rack in aluminium for MONOKEY® top-case

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the top-case / it can only be mounted on the original rack in aluminium



KR5129

Specific rear rack for MONOLOCK® or MONOKEY® top-case

to be combined with the MONOKEY® KM5, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg / it can only be mounted to the original plastic rack



KLR5127

Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases

KL5127CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter



BF11K

Specific flange for fitting the tank bags with TANKLOCK system



KD5127S

Specific screen, smoked 44 x 47 cm (H x W)

to be combined with the specific D5129KITK fitting kit / 17 cm higher than the original





KD5127ST

Specific screen, transparent 54,5 x 49 cm (H x W)

to be combined with the specific D5129KITK fitting kit / 27 cm higher than the original



KAF5127B


Specific sliding wind-screen transparent, Airflow. Maximum height 59 cm (12 cm of extension), width 49 cm

to be combined with the specific D5129KITK fitting kit / to be mounted instead of the original screen



D5129KITK

Specific fitting kit for KD5127S, KD5127ST, KAF5127B



KN5129

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

KN5129OX

Specific engine guard, stainless steel

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



RP5129KITK

Specific kit to install the RP5129K, RP5140K, RP5145K



RP5145K

Oil carter protector in brushed and anodised aluminium

to be combined with RP5129KITK



LS5127K

Specific fitting kit to mount spotlights where specific engine guard is not present